

## ZEBRA PAPER LABELS - EVERYDAY APPLICATIONS

Paper labels meet the requirements of a variety of applications that do not require durability to chemicals or abrasion. Our offering includes direct thermal and thermal transfer labels with varying degrees of performance.

Material Name	Printing Technology	Key Features	Spec Sheets	Compatible Ribbon Formulation
<b>Z-Perform 1000D</b>	Direct Thermal	Standard uncoated label. Not recommended for exposure to moisture.	<ul style="list-style-type: none"> <li><a href="#">Z-Perform 1000D – Permanent</a></li> </ul>	N/A
<b>Z-Perform 1000D PF</b>	Direct Thermal	Phenol free uncoated label that utilizes Vitamin C as it's developer.	<ul style="list-style-type: none"> <li><a href="#">Z-Perform 1000D PF - Permanent Adhesive</a></li> </ul>	NA
<b>Z-Perform 1500T</b>	Thermal Transfer	Standard coated label. Some moisture and weak chemical (i.e. window cleaner) resistance. Can withstand temperatures from 0°F (-18°C) to 180°F (82°C).	<ul style="list-style-type: none"> <li><a href="#">Z-Perform 1500T – Permanent Adhesive</a></li> </ul>	<ul style="list-style-type: none"> <li><a href="#">1600 Wax</a></li> <li><a href="#">6000 Wax</a></li> <li><a href="#">2000 Wax</a></li> <li><a href="#">6100 Wax/Resin</a></li> </ul>
<b>Z-Perform 2000D</b>	Direct Thermal	Standard coated label. Some moisture and weak chemical (i.e. window cleaner) resistance. Can withstand temperatures from -65°F (-54°C) to 200°F (93°C).	<ul style="list-style-type: none"> <li><a href="#">Z-Perform 2000D – Permanent Adhesive</a></li> </ul>	N/A

<b>Z-Perform 2000T</b>	Thermal Transfer	Standard coated label. Some moisture and weak chemical (i.e. window cleaner) resistance. Can withstand temperatures from -65°F (-54°C) to 200°F (93°C).	<ul style="list-style-type: none"> <li>• <a href="#">Z-Perform 2000T – Permanent Adhesive</a></li> <li>• <a href="#">Z-Perform 2000T – All-Temp Adhesive</a></li> </ul>	<ul style="list-style-type: none"> <li>• <a href="#">1600 Wax</a></li> <li>• <a href="#">6000 Wax</a></li> <li>• <a href="#">2000 Wax</a></li> <li>• <a href="#">6100 Wax/Resin</a></li> </ul>
<b>Z-Perform 2100D</b>	Direct Thermal	Premium coated label that offers some resistance to water, oil and alcohol. Can withstand temperatures from -25°C to 80°C.	<ul style="list-style-type: none"> <li>• <a href="#">Z-Perform 2100D</a></li> </ul>	N/A
<b>Z-Perform 2100T</b>	Thermal Transfer	Premium coated label that provides strong adhesion to corrugated and other hard-to-label surfaces.	<ul style="list-style-type: none"> <li>• <a href="#">Z-Perform 2100T – Permanent Adhesive</a></li> </ul>	<ul style="list-style-type: none"> <li>• <a href="#">1600 Wax</a></li> <li>• <a href="#">1700 Wax</a></li> </ul>
<b>Z-Perform 2100T Linerless</b>	Thermal Transfer	Eco-friendly linerless paper label that eliminates liner waste.	<ul style="list-style-type: none"> <li>• <a href="#">Z-Perform 2100T Linerless – Permanent Adhesive</a></li> </ul>	<ul style="list-style-type: none"> <li>• <a href="#">1600 Wax</a></li> </ul>
<b>Z-Select 4000D</b>	Direct Thermal	Premium coated label. Some moisture and weak chemical (i.e. window cleaner) resistance.	<ul style="list-style-type: none"> <li>• <a href="#">Z-Select 4000D – All-Temp Adhesive</a></li> <li>• <a href="#">Z-Select 4000D – Removable Adhesive</a></li> </ul>	N/A

<p><b>Z-Select 4000T</b></p>	<p>Thermal Transfer</p>	<p>Premium coated label. Some moisture and weak chemical (i.e. window cleaner) resistance. May be used across a wide temperature range.</p>	<ul style="list-style-type: none"> <li>• Z-Select 4000T – Permanent Adhesive</li> <li>• Z-Select 4000T – All-Temp Adhesive</li> <li>• Z-Select 4000T – Removable Adhesive</li> </ul>	<ul style="list-style-type: none"> <li>• 1600 Wax</li> <li>• 6000 Wax</li> <li>• 2000 Wax</li> <li>• 6100 Wax/Resin</li> </ul>
<p><b>IQ Colour 2000D</b></p>	<p>Direct Thermal</p>	<p>Ability to print vibrant colour on demand in pre-defined zones. Not recommended for exposure to moisture. Available in standard and opaque paper labels.</p>	<ul style="list-style-type: none"> <li>• IQ Colour 2000D – Permanent Adhesive</li> <li>• IQ Colour 2000D – All-Temp Adhesive</li> <li>• IQ Colour 2000D – Removable Adhesive</li> <li>• IQ Colour 2000D – Opaque Material</li> </ul>	<p>N/A</p>

Source: [www.zebra.com](http://www.zebra.com)